

Trauma

Trauma quality program works to elevate the quality of care for trauma patients in our trauma center. The program accomplishes its work by collecting data from our trauma center, providing feedback about our center’s performance, and identifying institutional characteristics that the trauma center staff can implement to improve patient outcomes.

Designations & Awards

☆ Designations

ACS verified Level 1 Adult Trauma Center

State designated Level 1 Trauma Center

Mortality Rates

Trauma patient which disposition was expired or transferred to hospice care.

Measure	Ryder Trauma Center	Other Similar Hospitals in TQIP	More Info
Risk adjusted mortality for all observed patients at Ryder Trauma Center.	8.8 %	8 %	<p>Lower is Better Date Range: 2015-2016</p>
Risk adjusted mortality for blunt multisystem injury patients at Ryder Trauma Center.	18.9 %	17.1 %	<p>Lower is Better Date Range: 2015-2016</p>
Risk adjusted mortality for penetrating injury patients at Ryder Trauma Center.			<p>Lower is Better 1.1 % Lower than Other Similar Hospitals in TQIP.</p>

Measure	Ryder Trauma Center	Other Similar Hospitals in TQIP	More Info
Risk adjusted mortality for penetrating injury patients at Ryder Trauma Center.	11.2 %	12.3 %	<p>Lower is Better</p> <p>1.1 % Lower than Other Similar Hospitals in TQIP.</p> <p>Date Range: 2015-2016</p>
Risk adjusted mortality for shock injury patients at Ryder Trauma Center.	34.1 %	34.5 %	<p>Lower is Better</p> <p>0.4 % Lower than Other Similar Hospitals in TQIP.</p> <p>Date Range: 2015-2016</p>
Risk adjusted mortality for severe TBI injury patients at Ryder Trauma Center.	31.6 %	33.8 %	<p>Lower is Better</p> <p>2.2 % Lower than Other Similar Hospitals in TQIP.</p> <p>Date Range: 2015-2016</p>

Complication Rates

Presence of relevant National Trauma Data Standard Hospital Complication.

Measure	Ryder Trauma Center	Other Similar Hospitals in TQIP	More Info
Risk adjusted complications for acute kidney injury patients at Ryder Trauma Center.	0 %	0.9 %	<p>Lower is Better</p> <p>0.9 % Lower than Other Similar Hospitals in TQIP.</p> <p>Date Range: 2015-2016</p>
Risk adjusted complications for pulmonary embolism patients at Ryder Trauma Center.	0.7 %	0.7 %	<p>Lower is Better</p> <p>Date Range: 2015-2016</p>

Measure	Ryder Trauma Center	Other Similar Hospitals in TQIP	More Info
---------	---------------------	---------------------------------	-----------

Risk adjusted complications for surgical site infection patients at Ryder Trauma Center.



Lower is Better
0.2 % Lower
 than Other Similar Hospitals in TQIP.
 Date Range: 2015-2016

Risk adjusted complications for unplanned ICU admission patients at Ryder Trauma Center.



Lower is Better
1.3 % Lower
 than Other Similar Hospitals in TQIP.
 Date Range: 2015-2016

Risk adjusted complications for unplanned return to OR patients at Ryder Trauma Center.



Lower is Better
0.6 % Lower
 than Other Similar Hospitals in TQIP.
 Date Range: 2015-2016

Risk adjusted complications for Urinary Tract Infections in patients at Ryder Trauma Center.



Lower is Better
1.1 % Lower
 than Other Similar Hospitals in TQIP.
 Date Range: 2015-2016

Overall Median Length Of Stay

The center's median length of stay:

Measure	Ryder Trauma Center	Other Similar Hospitals in TQIP	More Info
---------	---------------------	---------------------------------	-----------

Median length of stay (days) for all patients at Ryder Trauma Center.



Lower is Better
 Date Range: 2015-2016

Measure	Ryder Trauma Center	Other Similar Hospitals in TQIP	More Info
---------	---------------------	---------------------------------	-----------

Median length of stay (days) for blunt multisystem patients at Ryder Trauma Center.

Lower is Better
Date Range:
2015-2016



Median length of stay (days) for penetrating injury patients at Ryder Trauma Center.

Lower is Better
Date Range:
2015-2016



Median length of stay (days) for shock injury patients at Ryder Trauma Center.

Lower is Better
Date Range:
2015-2016



Median length of stay (days) for severe TBI patients at Ryder Trauma Center.

Lower is Better
Date Range:
2015-2016



Median length of stay (days) for isolated hip fracture patients at Ryder Trauma Center.

Lower is Better
Date Range:
2015-2016



ICU Median Length Of Stay

The median length of stay for patients requiring intensive care unit care.

Measure	Ryder Trauma Center	Other Similar Hospitals in TQIP	More Info
Median length of stay (days) for all ICU patients at Ryder Trauma Center.	5 Days	3 Days	Lower is Better Date Range: 2015-2016
Median length of stay (days) for blunt multisystem ICU patients at Ryder Trauma Center.	8 Days	5 Days	Lower is Better Date Range: 2015-2016
Median length of stay (days) for penetrating injury ICU patients at Ryder Trauma Center.	7 Days	3 Days	Lower is Better Date Range: 2015-2016
Median length of stay (days) for shock injury ICU patients at Ryder Trauma Center.	8.5 Days	5 Days	Lower is Better Date Range: 2015-2016
Median length of stay (days) for severe TBI ICU patients at Ryder Trauma Center.	7 Days	4 Days	Lower is Better Date Range: 2015-2016

Measure	Ryder Trauma Center	Other Similar Hospitals in TQIP	More Info
Median length of stay (days) for isolated hip fracture ICU patients at Ryder Trauma Center.	5 Days	3 Days	<p>Lower is Better</p> <p>Date Range: 2015-2016</p>

Mechanical Ventilator

Number of days of mechanical ventilation for patients requiring ventilatory support.

Measure	Ryder Trauma Center	Other Similar Hospitals in TQIP	More Info
Median duration of mechanical ventilation (days) for all patients at Ryder Trauma Center.	3 Days	3 Days	<p>Lower is Better</p> <p>Date Range: 2015-2016</p>

Median duration of mechanical ventilation (days) for blunt multisystem patients at Ryder Trauma Center.	4 Days	5 Days	<p>Lower is Better</p> <p>1 Day Lower than Other Similar Hospitals in TQIP.</p> <p>Date Range: 2015-2016</p>
---	--------	--------	--

Median duration of mechanical ventilation (days) for penetrating injury patients at Ryder Trauma Center.	2 Days	2 Days	<p>Lower is Better</p> <p>Date Range: 2015-2016</p>
--	--------	--------	--

Median duration of mechanical ventilation (days) for shock injury patients at Ryder Trauma Center.	2 Days	3 Days	<p>Lower is Better</p> <p>1 Day Lower than Other Similar Hospitals in TQIP.</p> <p>Date Range: 2015-2016</p>
--	--------	--------	--

Measure

Ryder Trauma Center

Other Similar Hospitals in TQIP

More Info

Median duration of mechanical ventilation (days) for severe TBI patients at Ryder Trauma Center.

Lower is Better

Date Range:
2015-2016

3 Days

3 Days